



Cable Lube (25 Litre)



Material Safety Data Sheet

NON HAZARDOUS ACCORDING TO THE CRITERIA OF SAFE WORK AUSTRALIA (formerly ASCC and NOHSC)

Section 1 Identification of the Preparation and the Company

Identification of the preparation

Product name: Cable Lube
Other Names Cable Lube 25 Litre
Product code: ALG-25
Intended use: Lubricating agent.

Identification of the Company

| | |
|-----------------------------------|---|
| Supplier | Omega Power Equipment Pty Ltd |
| Address | 47 Bennet Street Dandenong Victoria 3175 |
| Country | Australia |
| Telephone | 03 9793 6111 |
| Facsimile | 03 9792 4509 |
| Web site | www.omegapower.com.au |
| Australian emergency phone number | Poisons Information Centre. Phone (eg Australia 13 1126; New Zealand 0800 764 766). |

Section 2 Hazard Identification

| | |
|------------------------------------|---|
| HAZARDOUS SUBSTANCE CLASSIFICATION | The product is not classified as hazardous according to the criteria of Safe Work Australia (formerly the Australian Safety and Compensation Council (ASCC), formerly NOHSC). |
| DANGEROUS GOODS CLASSIFICATION | The product is not a Dangerous Good. |
| HAZARD CLASSIFICATION | None |
| RISK PHRASES | None |
| SAFETY PHRASES | None |

Section 3 Composition/Information on Ingredients

Aqueous solution of Australian Mud Liqui-Pol and Blue dye.

| Name | CAS Number | Concentration |
|---|------------|---------------|
| Non-hazardous ingredients, including water. | | 100% |



Cable Lube (25 Litre)



Section 4 First-aid Measures

EYES: If in eyes, hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. Seek medical attention.

SKIN: First aid is unlikely to be required as a result of exposure during any anticipated use. Wash off with water and launder affected clothing before re-use. Seek medical attention if any soreness or inflammation of the skin develops.

INGESTION: Rinse mouth out with water ensuring that mouth wash is not swallowed. Give about 250mL (2 glasses) of water to drink. DO NOT attempt to induce vomiting. Seek medical attention. For advice, contact a Poisons Information Centre (phone eg Australia 131 126; New Zealand 0800 764 766).

INHALATION: First aid is unlikely to be required as a result of exposure during any anticipated use. However, if necessary, remove to fresh air. Keep warm and at rest. Seek medical attention if any symptoms persist.

ADVICE TO DOCTOR: Treat symptomatically.

Section 5 Fire-fighting Measures

EXTINGUISHING MEDIA: Use whatever is appropriate for the surrounding fire.

HAZARDOUS COMBUSTION PRODUCTS: None known.

PRECAUTIONS: Fire fighters should wear self-contained breathing apparatus and full protective clothing.

Section 6 Accidental Release Measures

Remove unnecessary personnel from the affected area.

Exercise caution as spills may be slippery. Mop up and rinse to drain or simply wash away with water.

Section 7 Handling and Storage

STORAGE: General storage is adequate. Protect containers against physical damage.

HANDLING: Avoid prolonged skin contact with the neat liquid. Avoid any contact with the eyes. No other precautions are necessary for normal use.

Section 8 Exposure Controls / Personal Protection

EXPOSURE STANDARDS: Exposure Standards have not been allocated to this product.

Exposure standard represents the airborne concentration of a particular substance in the worker's breathing zone, exposure to which, according to current knowledge, should not cause adverse health effects nor cause undue discomfort to nearly all workers. The exposure standard can be of three forms; time-weighted average (TWA), peak, or short term exposure limit (STEL).

BIOLOGICAL LIMIT VALUES: None allocated.

ENGINEERING CONTROLS: None required.

PERSONAL PROTECTION: Safety glasses. Nitrile, neoprene or PVC gloves may also be required if prolonged skin contact is likely to occur



Cable Lube (25 Litre)

Revision:01
11th August 2010
Page 3 of 4



Section 9 Physical and Chemical Properties

| | |
|----------------------|--------------------|
| Appearance | Light blue liquid. |
| Odour | Odourless |
| Solubility | Soluble |
| PH | No data available |
| Boiling point | No data available |
| Flash point | No data available |
| Explosive properties | No data available |
| Vapour pressure | No data available |
| Specific gravity | No data available |

Section 10 Stability and Reactivity

STABILITY: Stable under recommended storage and handling conditions (refer to Section 7).
HAZARDOUS DECOMPOSITION PRODUCTS: None known.
CONDITIONS TO AVOID: None known.
MATERIALS TO AVOID: None known

Section 11 Toxicological Information

HEALTH HAZARDS ACUTE

INGESTION Low hazard.

EYE: May be irritating to the eyes.

SKIN: Low hazard, no health effects are expected as a result of normal use. However, prolonged contact with the neat liquid may irritate the skin and contribute to dermatitis.

INHALATION: Low hazard, The product has low volatility so inhalation of hazardous quantities of vapour is unlikely to occur during normal use.

HEALTH HAZARDS CHRONIC

No chronic health effects are expected to result from normal use of this product.

Section 12 Ecological Information

Environmental Toxicity:

Product is not expected to exhibit any environmental toxicity.

MOBILITY: Water based product mobile in water and soil

PERSISTANCE / DEGRADABILITY: Not known

BIOACCUMULATION: Does not bioaccumulate significantly.

Section 13 Disposal Considerations

Product may be disposed as normal household waste or it may be diluted and flushed away with water.



Cable Lube (25 Litre)



Section 14 Transport Information

Non-Dangerous Good
Proper Shipping Name: Not applicable
UN Number: Not applicable
DG Class: Not applicable
Packing Group: Not applicable
Hazchem Code: Not applicable

Section 15 Regulatory Information

Product is not a Scheduled Poison according to the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Section 16 Further Information

REFERENCES

1. List of Designated Hazardous Substances [NOHSC: 10005(1999)]
2. National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011(2003)]
3. Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 1003(1995)] and subsequent amendments
4. Australian Code for the Transportation of Dangerous Goods by Road and Rail (ADG Code), 6th Edition, 1998
5. International Maritime Dangerous Goods Code (IMDG), and current amendments

ABBREVIATIONS

| | |
|------|--|
| LC50 | Lethal dose for 50% of test population, by inhalation. |
| LDLo | Lowest documented lethal dose |
| LD50 | Lethal dose for 50% of test population, by ingestion or skin contact |
| TDLo | Lowest published toxic dose |

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Omega Power Equipment Pty Ltd's knowledge; However Omega Power Equipment Pty Ltd makes no warranty whatsoever, expressed or implied, or MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Omega Power Equipment Pty Ltd assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.

Revision Number: 001)
Dated 11th August 2010